

PageSpeed Insights

Mobile



44 / 100 Speed

! Should Fix:

Avoid landing page redirects

Your page has 3 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://tejonhax.cf/>
- http://domain.dot.tk/p/?d=TEJONHAX.CF&i=192.185.4.48&c=1&ro=0&ref=unknown&_=1517927113057
- http://freenom.link/?k=80808080&_=1517927113
- <http://www.freenom.link/en/index.html?lang=en>

Mobile

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://static.doubleclick.net/instream/ad_status.js (15 minutes)
- <http://www.freenom.link/css/lander.css> (60 minutes)
- <http://www.freenom.link/en/routers.js> (60 minutes)
- <http://www.freenom.link/images.v2/bg-input.png> (60 minutes)
- <http://www.freenom.link/images.v2/freenom-world.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-dashboard-green.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-dashboard.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-plus.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-privacy.png> (60 minutes)
- <http://www.freenom.link/images.v2/network.png> (60 minutes)
- <http://www.freenom.link/images.v2/pattern.gif> (60 minutes)
- <http://www.freenom.link/js/dos.js> (60 minutes)
- <http://www.freenom.link/js/searchr.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 98.7KiB (44% reduction).

- Minifying <https://code.jquery.com/ui/1.12.1/jquery-ui.js> could save 46.2KiB (38% reduction) after compression.

Mobile

- Minifying <https://code.jquery.com/jquery-1.12.4.js> could save 43.9KiB (51% reduction) after compression.
- Minifying <http://www.freenom.link/js/dos.js> could save 8.6KiB (44% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://code.jquery.com/jquery-1.12.4.js>
- <https://code.jquery.com/ui/1.12.1/jquery-ui.js>
- <https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js>
- <http://www.freenom.link/js/dos.js>
- <http://www.freenom.link/js/searchr.js>

[Optimize CSS Delivery](#) of the following:

- <https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,600>
- <http://www.freenom.link/css/lander.css>

Consider Fixing:

Enable compression

Mobile

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 34.1KiB (66% reduction).

- Compressing <http://www.freenom.link/js/dos.js> could save 15.8KiB (79% reduction).
- Compressing <http://www.freenom.link/en/routers.js> could save 9.3KiB (52% reduction).
- Compressing <http://www.freenom.link/en/index.html?lang=en> could save 4KiB (70% reduction).
- Compressing <http://www.freenom.link/css/lander.css> could save 3.8KiB (68% reduction).
- Compressing <http://www.freenom.link/js/searchr.js> could save 1.2KiB (60% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.5KiB (27% reduction).

- Minifying <http://www.freenom.link/css/lander.css> could save 1.5KiB (27% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1KiB (18% reduction).

- Minifying <http://www.freenom.link/en/index.html?lang=en> could save 1KiB (18% reduction).

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 5.3KiB (15% reduction).

- Compressing <http://www.freenom.link/images.v2/icon-dashboard.png> could save 1.9KiB (18% reduction).
- Compressing <http://www.freenom.link/images.v2/icon-dashboard-green.png> could save 1.4KiB (15% reduction).
- Compressing <http://www.freenom.link/images.v2/network.png> could save 944B (13% reduction).
- Compressing <http://www.freenom.link/images.v2/icon-privacy.png> could save 872B (11% reduction).
- Compressing <http://www.freenom.link/images.v2/icon-plus.png> could save 191B (26% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 34% of the final above-the-fold content could be rendered with the full HTML response snapshot:9.



1 Passed Rules

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

84 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<button class="ytp-watch-late...ton ytp-button"></button>` and 1 others are close to other tap targets final.
- The tap target `Why FreenomWorld` and 2 others are close to other tap targets final.

Use legible font sizes

Mobile

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- What is Freenom World? renders only 7 pixels tall (18 CSS pixels) final.
- Your browser d...ats available. renders only 5 pixels tall (14 CSS pixels) final.
- Click here to...t HTML5 video. renders only 5 pixels tall (14 CSS pixels) final.
- HowTo videos for other devices and 2 others render only 5 pixels tall (14 CSS pixels) final.



2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Desktop

The screenshot shows a desktop browser window. At the top, there is a red warning banner with two icons: a slow internet connection icon and a 'no ads' icon. Below the banner, the page content is split into two columns. The left column has the text 'Change your DNS to freenomworld' followed by the IP addresses '80.80.80.80' and '80.80.81.81', and a search bar for 'Find your router or access point'. The right column features a video player titled 'What is Freenom World?' with a play button and a video player interface.

57 / 100 Speed

 Should Fix:

Avoid landing page redirects

Your page has 3 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://tejonhax.cf/>
- http://domain.dot.tk/p/?d=TEJONHAX.CF&i=192.185.4.48&c=1&ro=0&ref=unknown&_=1517927117651
- http://freenom.link/?k=80808080&_=1517927121
- <http://www.freenom.link/en/index.html?lang=en>

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 98.7KiB (44% reduction).

- Minifying <https://code.jquery.com/ui/1.12.1/jquery-ui.js> could save 46.2KiB (38% reduction) after compression.
- Minifying <https://code.jquery.com/jquery-1.12.4.js> could save 43.9KiB (51% reduction) after compression.
- Minifying <http://www.freenom.link/js/dos.js> could save 8.6KiB (44% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Desktop

Your page has 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css>
- <https://fonts.googleapis.com/css?family=Open+Sans:400,300,600>
- <http://www.freemom.link/css/lander.css>



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 34.1KiB (66% reduction).

- Compressing <http://www.freemom.link/js/dos.js> could save 15.8KiB (79% reduction).
- Compressing <http://www.freemom.link/en/routers.js> could save 9.3KiB (52% reduction).
- Compressing <http://www.freemom.link/en/index.html?lang=en> could save 4KiB (70% reduction).
- Compressing <http://www.freemom.link/css/lander.css> could save 3.8KiB (68% reduction).
- Compressing <http://www.freemom.link/js/searchr.js> could save 1.2KiB (60% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Desktop

[Leverage browser caching](#) for the following cacheable resources:

- https://static.doubleclick.net/instream/ad_status.js (15 minutes)
- <http://www.freenom.link/css/lander.css> (60 minutes)
- <http://www.freenom.link/en/routers.js> (60 minutes)
- <http://www.freenom.link/images.v2/bg-body.gif> (60 minutes)
- <http://www.freenom.link/images.v2/bg-header.gif> (60 minutes)
- <http://www.freenom.link/images.v2/bg-input.png> (60 minutes)
- <http://www.freenom.link/images.v2/freenom-world.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-dashboard-green.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-dashboard.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-plus.png> (60 minutes)
- <http://www.freenom.link/images.v2/icon-privacy.png> (60 minutes)
- <http://www.freenom.link/images.v2/network.png> (60 minutes)
- <http://www.freenom.link/images.v2/pattern.gif> (60 minutes)
- <http://www.freenom.link/js/dos.js> (60 minutes)
- <http://www.freenom.link/js/searchr.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.5KiB (27% reduction).

- Minifying <http://www.freenom.link/css/lander.css> could save 1.5KiB (27% reduction).

Desktop

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1KiB (18% reduction).

- Minifying <http://www.freenom.link/en/index.html?lang=en> could save 1KiB (18% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 11.8KiB (32% reduction).

- Compressing and resizing <http://www.freenom.link/images.v2/icon-dashboard.png> could save 5.3KiB (48% reduction).
- Compressing and resizing <http://www.freenom.link/images.v2/icon-privacy.png> could save 3.8KiB (49% reduction).
- Compressing <http://www.freenom.link/images.v2/icon-dashboard-green.png> could save 1.4KiB (15% reduction).
- Compressing <http://www.freenom.link/images.v2/network.png> could save 944B (13% reduction).
- Compressing <http://www.freenom.link/images.v2/bg-body.gif> could save 228B (23% reduction).
- Compressing <http://www.freenom.link/images.v2/icon-plus.png> could save 191B (26% reduction).



1 Passed Rules

Prioritize visible content

Desktop

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).